

## [28-Mar-2019 New 300-165 Dumps with VCE and PDF from PassLeader (Update Questions)]

New 300-165 exam questions from PassLeader 300-165 dumps! Welcome to download the newest PassLeader 300-165 VCE and PDF dumps: <https://www.passleader.com/300-165.html> (302 Q&As)

P.S. New 300-165 dumps are available on Google Drive shared by PassLeader:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpMVRmUUJZRWU3cU0](https://drive.google.com/open?id=0B-ob6L_QjGLpMVRmUUJZRWU3cU0)

Read More [CCNP Data Center Exam](#) Dumps:

CCNP Data Center [300-160](#) Exam Dumps: <http://www.ciscobraindump.com/?s=300-160>

CCNP Data Center [300-170](#) Exam Dumps: <http://www.ciscobraindump.com/?s=300-170>

CCNP Data Center [300-175](#) Exam Dumps: <http://www.ciscobraindump.com/?s=300-175>

CCNP Data Center [300-180](#) Exam Dumps: <http://www.ciscobraindump.com/?s=300-180>

NEW QUESTION 289

Which feature must be configured before you can implement a dynamic ARP inspection to validate an ARP packet?

- A. unicast RPF
- B. DHCP snooping
- C. IP Source Guard
- D. MACsec encryption

Answer: B

NEW QUESTION 290

Which two statements about the VRRP are true? (Choose two.)

- A. VRRP allows the traffic load to be shared through the use of multiple VRRP groups.
- B. When the VRRP is configured to track a Layer 2 interface, the VRRP priority instantly reflects the state of the Layer 2 interface.
- C. The BFD for the VRRP can be configured only between two Cisco Nexus switches.
- D. vPC can forward traffic through both VRRP devices.
- E. The VRRP can be configured on the management interface.

Answer: AD

NEW QUESTION 291

Which description of a MAC ACL is true?

- A. It filters based on the DSCP value.
- B. It is applied to egress traffic only.
- C. It is applied when DHCP snooping is enabled.
- D. It is applied to ingress traffic only.

Answer: D

NEW QUESTION 292

You have a Fibre Channel switch with one of its ports connected to a host. The host remains in the initializing state. What is the most likely cause of this issue?

- A. The FLOGI packet was dropped somewhere on the data path.
- B. The ELP process failed after the FLOGI occurred.
- C. The host is not powered on.
- D. The vFC interface on the host is configured to use an incorrect mode.

Answer: A

NEW QUESTION 293

Which statement accurately describes EPLD upgrades?

- A. A system reboot is required after an EPLD upgrade.
- B. They should be performed only if advised by the Cisco TAC.
- C. EPLD upgrades apply only to supervisor modules.

D. They are disruptive to the module to which they are applied.

Answer: D

NEW QUESTION 294

Which statement about a configuration that uses OSPFv3 multiarea adjacency is true?

- A. A switch can support more than one address family by using point-to-multipoint.
- B. switch can operate in more than one area by using subinterfaces.
- C. Multiple VRFs can operate in different areas.
- D. The link on a primary interface can be in more than one area.

Answer: B

NEW QUESTION 295

Which ACL is applied first when a packet enters a Cisco Nexus Series Switch?

- A. port ACL
- B. ingress router ACL
- C. SGACL
- D. ingress VACL

Answer: A

NEW QUESTION 296

When configuring PIM on a Cisco Nexus 7000 Series switch, which mode requires you to configure an RP?

- A. SSM
- B. DM
- C. SDM
- D. BIDIR

Answer: D

NEW QUESTION 297

Which database contains information about all of the devices that are currently registered in the fabric?

- A. RSCN
- B. FLOGI
- C. FDMI
- D. FCNS

Answer: C

NEW QUESTION 298

**Drag and Drop**

Drag and drop the optional OSPF parameters from the left onto the correct functions on the right.

area range	creates a type 5 LSA
default information originate	converts type 7 LSAs to type 5
default metric	summarizes routes between areas
route map	sets all redistributed routes to the same metric
translate	filters select external routes flooded throughout the NSSA

Answer:

	default metric
	route map
	area range
	translate
	default information originate

NEW QUESTION 299

You are implementing a Cisco Fabric Path network. Which statement accurately describes the VN-Segment feature?

- A. The VN-Segment feature must be enabled on all leaf switches.
- B. Up to 16,000 VN segments are supported on a leaf switch.
- C. The VN-Segment feature must be enabled on all switches.
- D. The VN-Segment tag is added to VN-Segment edge ports.

Answer: A

NEW QUESTION 300

In Any Source Multicast groups which multicast enabled device supports shared trees?

- A. RP
- B. any router in the tree except for the RP
- C. first-hop router
- D. last-hop router

Answer: C

NEW QUESTION 301

You have multiple OTV edge devices in each OTV site. Which configuration prevents an end-to-end STP loop?

- A. selective unicast flooding
- B. AED election
- C. FHRP filtering
- D. ARP local caching

Answer: B

NEW QUESTION 302

.....

New 300-165 exam questions from PassLeader 300-165 dumps! Welcome to download the newest PassLeader 300-165 VCE and PDF dumps: <https://www.passleader.com/300-165.html> (302 Q&As)

P.S. New 300-165 dumps are available on Google Drive shared by PassLeader:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpMVRmUUJZRWU3cU0](https://drive.google.com/open?id=0B-ob6L_QjGLpMVRmUUJZRWU3cU0)

Read More [CCNP Data Center Exam Dumps](#):

CCNP Data Center [300-160 Exam Dumps](#): <http://www.ciscobraindump.com/?s=300-160>

CCNP Data Center [300-170 Exam Dumps](#): <http://www.ciscobraindump.com/?s=300-170>

CCNP Data Center [300-175 Exam Dumps](#): <http://www.ciscobraindump.com/?s=300-175>

CCNP Data Center [300-180 Exam Dumps](#): <http://www.ciscobraindump.com/?s=300-180>