


Cisco CCDE Certification 352-001 Exam



- **Vendor: Cisco**
- **Exam Code: 352-001**
- **Exam Name: CCDE Design Written Exam**

Get Complete Version Exam 352-001 Dumps with VCE and PDF Here



<https://www.passleader.com/352-001.html>

NEW QUESTION 761

What is the main reason to recommend NetFlow?

- A. When the network consists of multivendor devices.
- B. When granular reporting capabilities are needed.
- C. When information about network device utilization is needed.
- D. When statistics for capacity planning is needed.

Answer: B

NEW QUESTION 762

Which three NETCONF datastores are valid? (Choose three.)

- A. Running
- B. Capabilities
- C. Candidate
- D. Notification
- E. Startup
- F. State

Answer: ACE

NEW QUESTION 763

You must change a network design to include link-state topology summarization. Which two effects of route summarization should you be concerned about? (Choose two.)

- A. Packet reordering
- B. Suboptimal routing
- C. Traffic black-holing
- D. Not scalable
- E. Slow convergence

Answer: BC

NEW QUESTION 764

Which three terms describe an OS-level virtualization method for deploying and running distributed applications? (Choose three.)

- A. shared kernel
- B. virtualized networking
- C. container-based virtualization
- D. container stack
- E. application containerization
- F. containerization
- G. container networking

Answer: CEF

NEW QUESTION 765

Which two design options meet the requirement to provide IPv6 inter domain multicast? (Choose two.)

- A. PIM SSM
- B. PIM dense mode
- C. Auto-RP

- D. anycast
- E. embedded RP

Answer: AE

NEW QUESTION 766

Your company utilizes many types of network transports, and you want to increase the efficiency of the network. Which solution can be used to improve network efficiency over PPPoE, IPsec and GRE networks?

- A. OTAM
- B. IRDP
- C. Host Discovery Protocol
- D. PMTUD

Answer: D

NEW QUESTION 767

Which three disadvantages of connecting an on-premises private cloud to a colocation facility versus a cloud VPN are true? (Choose three.)

- A. location availability
- B. QoS
- C. flexibility
- D. time to provision
- E. latency
- F. throughput

Answer: BEF

NEW QUESTION 768

An IPsec VPN WAN network has a new requirement for passing multicast traffic between sites. Which two technologies must be added to the design to pass the multicast traffic? (Choose two.)

- A. IGMP
- B. GRE
- C. PIM dense mode
- D. VTI
- E. Fast Switching

Answer: BD

NEW QUESTION 769

Which statement correctly describes Ansible operations and play books?

- A. Ansible is ageless and uses play books formatted in YAML.
- B. Ansible is agent based and uses play books formatted in YAML.
- C. Ansible is agent based and uses play books formatted in XML.
- D. Ansible is agentless and uses play books formatted in XML.

Answer: A

NEW QUESTION 770

Which design consideration is valid when you contrast FabricPath and TRILL?

- A. FabricPath uses IS-IS, but TRILL uses VxLAN.
- B. FabricPath permits active-active FHRP and TRILL.
- C. FabricPath Permits ECMP, but TRILL does not.
- D. FabricPath permits active-active mode, but TRILL supports only active-standby mode.

Answer: B

NEW QUESTION 771

Which interconnectivity method offers the fastest convergence in the event of a unidirectional issue between three Layer 2 switches connected together with trunk links?

- A. Fiber Ethernet connectivity with UDLD enabled.
- B. Copper Ethernet connectivity with BFD enabled.
- C. Fiber Ethernet connectivity with BFD enabled.
- D. Copper Ethernet connectivity with UDLD enabled.

Answer: A

NEW QUESTION 772

Which design solution decreases CAPEX when designing an enterprise campus involving many small sites?

- A. route summarization on data center distribution routers
- B. route summarization on routed access layers
- C. route summarization on core routers
- D. route summarization on WAN edge routers

Answer: D

NEW QUESTION 773

You are providing a design review for a service provider that offers MPLS Layer 3 VPN services. Which two considerations of using RT Constrained Route Distribution are true? (Choose two.)

- A. The RRs do not need to advertise any Route target filter toward the PE routers.
- B. The PE routers must advertise the default Route target filter toward the RR routers.
- C. The PE and RR routers must support this feature.
- D. This feature must be enabled on all devices in the network at the same time.
- E. The RR must advertise the default Route Target filter toward the PE routers.

Answer: CE

NEW QUESTION 774

You want to add 900 VLANs to the existing 90 VLANs on a data center. Which two spanning-tree concerns must you consider? (Choose two.)

- A. To add 990 VLANs to the switching hardware reserved VLANs requires you to use extended VLAN.
- B. STP is increased by a factor of 10 convergence time.
- C. BPDU does not support 990 VLANs.
- D. The diameter of the STP topology is increased.
- E. The PVST+ increases CPU utilization.

Answer: BE

NEW QUESTION 775

Which optimal use of interface dampening on a fast convergence network design is true?

- A. When numerous adjacent flaps of very short duration occur.
- B. When the router hardware is slower than the carrier delay down detection.
- C. When occasional flaps of long duration occur.
- D. When the switch hardware is faster than the debounce timer down detection.

Answer: A

NEW QUESTION 776

.....

Get Complete Version Exam 352-001 Dumps with VCE and PDF Here



<https://www.passleader.com/352-001.html>