


Cisco CCNP Certification 300-625 DCSAN Exam



- Vendor: Cisco
- Exam Code: 300-625
- Exam Name: Implementing Cisco Storage Area Networking (DCSAN)

Get Complete Version Exam 300-625 Dumps with VCE and PDF Here



<https://www.passleader.com/300-625.html>

NEW QUESTION 1

After user account attributes are modified in Cisco NX-OS, when do changes to the user's session attributes take effect?

- A. immediately
- B. at the scheduled time
- C. when the user logs out of a session
- D. when the user creates a new session

Answer: D

NEW QUESTION 2

Which configuration is available only in Cisco DCNM-SAN Advanced mode?

- A. IVR
- B. VMpath configuration
- C. zoning
- D. template-based provisioning

Answer: A

NEW QUESTION 3

What is the effect of a non-graceful virtual machine shutdown on a virtualized server that is connected to a SAN with Fibre Channel interfaces?

- A. NP Port reload connected to the upstream SAN switch
- B. out-of-service Fibre Channel interfaces on the SAN switch
- C. frames stuck in the storage system
- D. frames stuck in the HBA buffer of the server

Answer: B

NEW QUESTION 4

A storage network engineer is implementing a port channel for multiple FCIP interfaces with write acceleration in a client's storage network. Which channel mode must be used?

- A. on
- B. passive
- C. active
- D. force

Answer: C

NEW QUESTION 5

Which port mode is used on an NPV device to connect to an NPIV core switch?

- A. E
- B. F
- C. N
- D. NP

Answer: D

NEW QUESTION 6

A storage network engineer must install and configure a new MDS switch in a data center network.

Which two statements about available choices during the MDS switch initial setup are correct? (Choose two.)

- A. The engineer can choose what will be the administrator account.
- B. The secure password standard is required.
- C. The engineer can configure the default zone policy.
- D. The engineer can configure the default switch port trunk mode.
- E. The engineer does not have the choice to enable or disable full zoneset distribution.

Answer: AC

NEW QUESTION 7

A storage network engineer is implementing SAN telemetry for a SAN infrastructure using Cisco DCNM for SAN. Which command is used to check the session status for telemetry operation?

- A. show telemetry pipeline stats
- B. show telemetry transport
- C. show telemetry control stats
- D. show analytics system-load

Answer: B

NEW QUESTION 8

What does an unlicensed DCNM SAN fail to display?

- A. Fibre Channel, FCoE, and iSCSI topologies
- B. events and fault management
- C. historical performance monitoring
- D. real-time performance monitoring

Answer: C

NEW QUESTION 9

Which two protocols are used to implement SAN telemetry on Cisco MDS switches? (Choose two.)

- A. RPC transport
- B. GPB transport
- C. gRPC transport
- D. gRPC encoding
- E. GPB encoding

Answer: CE

NEW QUESTION 10

A storage engineer is troubleshooting a Cisco MDS switch upgrade issue. What prevents the completion of a nondisruptive upgrade?

- A. The Fibre Channel host initiator is connected.
- B. The Fibre Channel storage target is connected.
- C. The Cisco Fabric Services operation is in progress.
- D. The Fibre Channel and FCoE storage targets are connected.

Answer: B

Explanation:

https://www.cisco.com/en/US/docs/storage/san_switches/mds9000/sw/rel_3_x/release/notes/141

16.16.html

NEW QUESTION 11

A domain ID conflict is detected on a switch. Which action resolves the issue in the shortest possible time after the preferred domain ID is changed to a static domain ID?

- A. Issue an fcdomain disruptive restart.
- B. Issue an fcdomain nondisruptive restart.
- C. Enter the commands for a VSAN suspend/no-suspend.
- D. Enter the commands to complete a domain manager fast restart.

Answer: A

NEW QUESTION 12

The principal switch on a Fibre Channel network fails to assign requested domain to a subordinate switch. What are two reasons? (Choose two.)

- A. Cisco Fabric Services distribution is not enabled on the switch.
- B. The fabric is locked.
- C. The requested domain is outside the allowed list.
- D. The persistent FC ID feature is not enabled.
- E. An existing switch already has the requested domain assigned.

Answer: CE

NEW QUESTION 13

A storage administrator is connecting two previously configured switches to make a single fabric. When the E Ports are connected, the administrator sees a ZONE MERGE FAILURE message referring to the zoneset for VSAN 10 on each switch. Which command should the administrator use to allow these switches to work together?

- A. zoneset import interface fc1/1 vsan 10
- B. zoneset distribute full vsan 10
- C. zoneset overwrite-control vsan 10
- D. zoneset copy active-zoneset full-zoneset

Answer: A

NEW QUESTION 14

Which action must be performed to deactivate a VSAN without losing its configuration?

- A. Isolate it.
- B. Delete it.
- C. Rename it.
- D. Suspend it.

Answer: D

NEW QUESTION 15

A storage network engineer is upgrading a Cisco MDS Director with dual supervisor modules. The install command is executed on the standby supervisor module but fails. Which action would have prevented this failure?

- A. All FCoE interfaces configured on the MDS must be shut down before starting the upgrade.
- B. The upgrade must be done on the active supervisor module only.

- C. Cisco Fabric Services must be disabled before starting the upgrade.
- D. Fabric Controller Service must be stopped before starting the upgrade.

Answer: B

NEW QUESTION 16

.....

Get Complete Version Exam 300-625 Dumps with VCE and PDF Here



<https://www.passleader.com/300-625.html>