


Cisco CCNP/DevNet Certification 300-635 DCAUTO Exam



- **Vendor: Cisco**
- **Exam Code: 300-635**
- **Exam Name: Automating and Programming
Cisco Data Center Solutions (DCAUTO)**

Get Complete Version Exam 300-635 Dumps with VCE and PDF Here



<https://www.passleader.com/300-635.html>

NEW QUESTION 1

Which option must be created to allow one EPG to communicate with another EPG within same tenant?

- A. a filter
- B. a taboo
- C. a subject
- D. a contract

Answer: D

NEW QUESTION 2

Which two benefits of using network configuration tools such as Ansible and Puppet to automate data center platforms are valid? (Choose two.)

- A. consistency of systems configuration
- B. automation of repetitive tasks
- C. ability to create device and interface groups
- D. ability to add VLANs and routes per device
- E. removal of network protocols such as Spanning Tree

Answer: AB

NEW QUESTION 3

Which two statements about gRPC are true? (Choose two.)

- A. It is an IETF draft.
- B. It is an IETF standard.
- C. It runs over SSH.
- D. It is an open source initiative.
- E. It runs over HTTPS.

Answer: AE

NEW QUESTION 4

What are two main guiding principles of REST? (Choose two.)

- A. cacheable
- B. trackable
- C. stateless
- D. single-layer system
- E. stateful

Answer: AC

NEW QUESTION 5

How is an ACI class name composed?

- A. :Method
- B. ClassName:Method
- C. Package:ClassName
- D. MitName:Method

Answer: C

NEW QUESTION 6

Which tool can you use to convert XML/JSON REST code to Python code?

- A. Postman
- B. Cobra
- C. Arya
- D. API Inspector

Answer: C

NEW QUESTION 7

When the Cisco bigmuddy-network-telemetry-collector from GitHub is used, which command displays only the message headers?

- A. --print
- B. --all
- C. --brief
- D. --print-all

Answer: C

NEW QUESTION 8

What are two differences between SNMP and model-driven telemetry? (Choose two.)

- A. SNMP uses a continuous stream model.
- B. SNMP uses a push model.
- C. SNMP uses a pull model.
- D. Model-driven telemetry uses a pull model.
- E. Model-driven telemetry uses a push model.

Answer: CE

NEW QUESTION 9

Which two components are required from the Cisco Intersight REST API Authentication? (Choose two.)

- A. SHA256 hash of the message body and message headers.
- B. SHA256 hash of the message body, including empty message bodies.
- C. RSA private key with a key size of 2048.
- D. RSA private key with a key size of 1024.
- E. SHA384 hash of the message body, excluding empty message bodies.

Answer: AC

NEW QUESTION 10

Which two methods can you use to implement in-band management access to a Cisco APIC? (Choose two.)

- A. REST API
- B. FTP
- C. ZTP
- D. GUI
- E. POAP

Answer: AD

NEW QUESTION 11

Which two components are attributes of an ACI MIT managed object? (Choose two.)

- A. MO
- B. RN
- C. UNI
- D. DN
- E. URL

Answer: BD

NEW QUESTION 12

What is the default data encoding for the response output of the ACI APIC API inspector?

- A. CSV
- B. JSON
- C. XML
- D. YAML

Answer: B

NEW QUESTION 13

Which Kubernetes container network interface provides intent-based networking from the same pane of glass that VMs and bare-metal servers are managed?

- A. ACI CNI plug-in
- B. Contiv CNI plug-in
- C. Ingress CNI plug-in
- D. Calico CNI plug-in

Answer: A

NEW QUESTION 14

Which two Cisco UCS components require drivers? (Choose two.)

- A. FNIC
- B. BIOS
- C. CIMC
- D. board controller
- E. ENIC

Answer: AE

NEW QUESTION 15

Which two HTTP methods are supported by the Cisco Nexus REST API? (Choose two.)

- A. PUT
- B. POST
- C. DELETE
- D. UPDATE
- E. CONNECT

Answer: BC

NEW QUESTION 16

Which action allows Docker daemon persistence during switchover on the Cisco Nexus 9500 Series Switches running Cisco NX-OS?

- A. Change the Docker configuration to include the live restore option.
- B. Copy the dockerpart file manually to the standby supervisor after performing the switchover.
- C. Copy the dockerpart file manually to the standby supervisor before performing the switchover.
- D. The system takes automatic action.

Answer: C

NEW QUESTION 17

Which two bootstrap technologies are supported by Cisco NX-OS platforms? (Choose two.)

- A. iPX
- B. PNP
- C. POAP
- D. BOOTP
- E. DHCP

Answer: AC

NEW QUESTION 18

Which two capabilities apply to the DCNM API? (Choose two.)


- A. DCNM provides an XML-based SOAP API.
- B. DCNM requires a license to use the API.
- C. Some features of DCNM must be configured through the GUI.
- D. All API operations can be performed using the DCNM GUI.
- E. DCNM provides a REST-based API.

Answer: AE

NEW QUESTION 19

.....

Get Complete Version Exam 300-635 Dumps with VCE and PDF Here



<https://www.passleader.com/300-635.html>